

## Test Report

No. CANEC2210989002

Date: 01 Jun 2022

Page 1 of 5

Client Name : GUANGDONG KEXIN INDUSTRIAL CO.,LTD.

Client Address : INDUSTRIAL ESTATE CHENDIAN,CHAONAN,SHANTOU,GUANGDONG,CHINA

Sample Name : SOT23-6

The above sample(s) and information were provided by the client.

SGS Job No. : CP22-028857 - SZ  
Date of Sample Received : 26 May 2022  
Testing Period : 26 May 2022 - 01 Jun 2022  
Test Requested : Selected test(s) as requested by the client.  
Test Method(s) : Please refer to next page(s).  
Test Result(s) : Please refer to next page(s).

### Result Summary :

Test Requested	Conclusion
US California Proposition 65 - Bisphenol-A	PASS
US California Proposition 65 - Flame Retardants	PASS

Signed for and on behalf of  
SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

Allie Chen

Allie Chen  
Approved Signatory

scan to see the report



2CCCC0EAC



SGS-CSTC Standards Technical Services Co., Ltd.  
Guangzhou Branch Testing Center Chemical Laboratory.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

198 Kazhu Road, Sciencetech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663

中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 [www.sgs.com](http://www.sgs.com)

t (86-20) 82155555 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

## Test Report

No. CANEC2210989002

Date: 01 Jun 2022

Page 2 of 5

Test Result(s) :

Test Part Description :

Specimen No.	SGS Sample ID	Description
SN1	CAN22-109890.001	"SOT23-6"

Remarks :

- (1) 1 mg/kg = 0.0001%
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected ( < MDL )
- (4) "-" = Not Regulated

### US California Proposition 65 - Bisphenol-A

Test Method : SGS In-house method (GZTC CHEM-TOP-075-02, With reference to US EPA Method 3550C:2007), analysis was performed by HPLC-MS.

<u>Test Item(s)</u>	<u>CAS NO.</u>	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>001</u>
Bisphenol-A	80-05-7	3.0	mg/kg	1.0	ND
<b>Comment</b>					<b>PASS</b>

Notes :

The maximum permissible limits are quoted from requirement as stated by settlement by Anthony Ferreiro vs Superior Communications Inc.; Wal-Mart Stores Inc.

The reference limit applied in testing is based on particular California Proposition 65 settlements that are most similar to the tested product in the opinion of the lab. The testing in this report does not reflect a user's actual exposure to the tested chemical.

A manufacturer or retailer that is not named in the referenced settlement is not bound by that settlement, and may choose to comply with California Proposition 65 by clearly informing the consumer of potential exposure.

### US California Proposition 65 - Flame Retardants

Test Method : SGS In-house method (GZTC CHEM-TOP-149-04, With reference to EPA 3550C:2007), analysis was performed by GC-MS / HPLC-DAD/MS.

<u>Test Item(s)</u>	<u>CAS NO.</u>	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>001</u>
Tris(1,3-dichloro-2-propyl) Phosphate(TDCPP)	13674-87-8	25	mg/kg	5	ND
Tris(2-chloroethyl) Phosphate(TCEP)	115-96-8	25	mg/kg	5	ND
Tris(1-chloro-2-propyl) Phosphate (TCPP)	13674-84-5	25	mg/kg	5	ND
2-Ethylhexyl tetrabromobenzoate(TBB)	183658-27-7	25	mg/kg	5	ND



## Test Report

No. CANEC2210989002

Date: 01 Jun 2022

Page 3 of 5

Test Item(s)	CAS NO.	Limit	Unit	MDL	001
Bis(2-ethylhexyl)-2,3,4,5-tetrabromo phthalate(TBPH)	26040-51-7	25	mg/kg	5	ND
Triphenyl Phosphate(TPP)	115-86-6	25	mg/kg	5	ND
2,2-bis(chloromethyl)trimethylenebis(bis(2-chloroethyl) phosphate) (V6)	38051-10-4	25	mg/kg	5	ND
4-(tert-Butyl)phenyl diphenyl phosphate (MDPP)	56803-37-3	25	mg/kg	5	ND
Bis(tert-Butylphenyl) phenyl phosphate (DBPP)	65652-41-7	25	mg/kg	5	ND
tris-(4-tert-Butylphenyl) phosphate (TBPP)	78-33-1/ 28777-70-0	25	mg/kg	5	ND
Pentabromodiphenyl ethers (Penta-BDEs)	32534-81-9	25	mg/kg	5	ND
Octabromodiphenyl ethers (Octa-BDEs)	32536-52-0	25	mg/kg	5	ND
Decabromodiphenyl ether (Deca-BDE)	1163-19-5	25	mg/kg	5	ND
Tris-(2,3-dibromopropyl) Phosphate (Tris/TDBPP)	126-72-7	25	mg/kg	5	ND

### Comment

**PASS**

### Notes :

The limit is referenced to the requirement as stated in the Superior Court of the State of California Case No. RG-13667688 and RG-13673710.

The reference limit applied in testing is based on particular California Proposition 65 settlements that are most similar to the tested product in the opinion of the lab. The testing in this report does not reflect a user's actual exposure to the tested chemical.

A manufacturer or retailer that is not named in the referenced settlement is not bound by that settlement, and may choose to comply with California Proposition 65 by clearly informing the consumer of potential exposure.


Remark: Results & photo(s) of this report refer to test report CANEC2210989001.

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule ( $w=0$ ) stated in ILAC-G8:09/2019.



ATTACHMENTS

BPA Testing Flow Chart



Sample photo:



SGS authenticate the photo on original report only

\*\*\* End of Report \*\*\*

